Dynamics of osteoblasts during bone remodeling cycle

Chandrashekara C V¹, Shrishti Chaudhary², Shivcharan M³, Avinash Ramachandran⁴, Raj Arjun S I⁵

Department of Mechanical Engineering, PES University, Bengaluru, India ¹Corresponding author **E-mail:** ¹*drcvc@pes.edu*, ²*shrishti14c@gmail.com*, ³*shivcharanm1999@gmail.com*, ⁴*avinashram1998@gmail.com*, ⁵*rajarjun3523@gmail.com*

Received 27 August 2019; accepted 3 September 2019 DOI https://doi.org/10.21595/vp.2019.20982

Check for updates

Copyright © 2019 Chandrashekara C V, et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract. Bone is a dynamic connective tissue which adjusts to load variations through continuous bone remodeling, which occurs due to the dynamic behavior of bone cells. Many researchers made attempts in obtaining the dynamic characteristics of osteoblasts and its role in bone remodeling cycle. While making an effort to understand the effects of mechanical stimuli on the osteoblast, certain ambiguity is observed in the past literatures. This paper is to demonstrate the dynamics of osteoblast cells and exhibition of different natural frequencies during its life cycle. Osteoblast is modeled as a frustum of a sphere, considering it as a continuum model. The three prominent parts of an osteoblast, i.e., membrane, cytoplasm and nucleus are considered with reported material properties. Lifespan of an active osteoblast during bone remodeling cycle is considered as 90 days and progressive osteoblast stages are analysed using Ansys. First ten natural frequencies and mode shapes are extracted for nine stages and reported. It is observed that the natural frequencies of a micron sized osteoblast are in the range of kHz. A mathematical relation for the lifespan of an active osteoblast is obtained using curve fitting for fundamental natural frequencies. The natural frequency for exciting an active osteoblast on each particular day during its lifespan can be derived from the relation. This relation can serve as a guiding tool in bioengineering for in vitro bone cell culturing. Results also throw light on the excitation frequency and natural frequency of an osteoblast for proper analysis purpose. The different modes of vibration of osteoblast is identified and reported.

Keywords: osteoblast, dynamics, natural frequency, mode shape, bone remodeling.

1. Introduction

Bone is a dynamic connective tissue which adjusts to load variations. This adaptation occurs through continuous bone remodeling, which is a result of the dynamic behavior of bone cells. Bone remodeling is a tightly directed procedure assuring the repair of micro damage (targeted rebuilding) and replacing of old bone with new bone tissues. This process occurs through successive osteoclastic resorption and osteoblastic bone formation. Osteoblasts are mesenchymal bone forming cells that are responsible for the synthesis of bone forming matrix called osteoid. Many medical researchers, over the past five to six decades, are studying the dynamic responses of osteoblasts with the help of experimentation. Certain ethical regulations limit the researchers to conduct experiments on living beings. Experimental analysis in vivo is extremely expensive, requires a lot of time and skill which poses as a great challenge to many researchers. This experimental constraint leads to recent studies of the osteoblast cell being carried out numerically and analytically. Finite element analysis enables effective and easier determination of the biomechanical behavior of human subsystems. Simulation techniques potentially reduce the cost and time in the development and analysis of bone cells.

Many researchers have made an attempt to report the responses of osteoblast cultured cells to mechanical stimuli via experimentation. Chow et al. [1] demonstrated the increase of bone formation by 25-30 % for an animal study, at a vertical vibration of 35 Hz with a peak acceleration of 0.3 g. Wang et al. [2] demonstrated the effect of frequency and acceleration amplitude on

osteoblast responses. A finite element approach is used to model the osteoblast. The base-excitation responses and resonance frequencies of six different models are reported. While appreciating and respecting the work of the author, it is necessary to point out that the natural frequency reported by the author is referred to previous studies [3, 4] which have compared their natural frequency results with the excitation frequency [5], which is inappropriate. Any system subjected to an excitation frequency is compelled to vibrate at the excitation frequency only, but not at the natural frequency of the system.

The present work is to demonstrate the dynamics of osteoblast cell and exhibition of different natural frequencies during its life cycle. A simple curve fit is carried out to establish a relation between the fundamental natural frequency and the days elapsed for an active osteoblast in bone remodeling cycle. Authentic natural frequencies and the parameters involved for dynamic analysis of micron sized bone cells are highlighted using certain standard approaches.

2. Modeling and simulation

A solid model of an osteoblast cell is developed, considering the three major parts viz., the membrane, cytoplasm and nucleus, using Solid Works. The membrane is a protective layer for the cell, made up of a phospholipid bilayer implanted with proteins. The cytoplasm is a viscous material that is present between the membrane and nucleus. It holds the nucleus in place apart from other organelles in the cell. The nucleus is the most vital part of the cell as it controls the growth, metabolism, synthesis of proteins and stores hereditary information of the cell.

All the three parts are assumed to be isotropic, linear and elastic for the present work. The properties selected are listed in Table 1.

Material	Density (kg/m ³)	Young's modulus (N/m ²)	Poisson's ratio
Membrane	600	1000	0.3
Cytoplasm	1500	1500	0.37
Nucleus	1800	6000	0.37

 Table 1. Material properties of osteoblast [2]

A continuum model approach is used for the investigation. Progressive stages of spreading of an active osteoblast cell over its lifespan of 90 days [6, 7] are modeled in 10 stages. The cytoplasm is modeled as an elastic body with a cavity at its center to accommodate the nucleus. The membrane and the cytoplasm are modeled as a spherical frustum. The membrane thickness is considered as 6 nm [8]. The volume of the cell is kept constant as 3,000 μ m³ [2]. A linear reduction in height ranging from 15.45 μ m to 1 μ m and corresponding increase in base surface radius from 6.64 μ m to 44.60 μ m for every 10 days is calculated using the relation:

$$b = \sqrt{\left(\frac{2v}{\pi h} - \frac{h^2}{3}\right)},\tag{1}$$

where h is the instantaneous height, v is the volume and b is the base surface radius of the osteoblast.

The nucleus is modeled with a constant volume ($\approx 105 \ \mu m^3$) [3], as a sphere for models I-VI and as an ellipsoid for models VII-X. Eq. (1) is used to obtain the progressive cell height and base surface radius which are tabulated in Table 2.

During the assembly of the osteoblast model for each stage, the integrity of the three parts is preserved. Models are exported to Ansys (Workbench 18.2). The material properties are assigned as indicated in Table 1. A tetrahedral mesh element with fine mesh size, along with patch confirming method is used to derive a suitable meshing for the entire model. A fixed boundary condition for the base surface is considered. The natural frequencies up to 10 modes are extracted for model I to IX and tabulated in Table 3.

DYNAMICS OF OSTEOBLASTS DURING BONE REMODELING CYCLE. Chandrashekara C V, Shrishti Chaudhary, Shivcharan M, Avinash Ramachandran, Raj Arjun S I

Table 2. Calculated height and corresponding radius of osteoblast for ten stages										
Model	Ι	II	III	IV	V	VI	VII	VIII	IX	Х
Cell height (<i>h</i>) in µm	15.45	13.84	12.23	10.62	9.01	7.40	5.79	4.18	2.57	1.00
Base surface radius R_h in (µm)	6.64	8.61	10.31	11.93	13.60	15.49	17.85	21.24	27.22	44.60

 Table 2. Calculated height and corresponding radius of osteoblast for ten stages

Natural	Model								
Frequency (Hz)	Ι	II	III	IV	V	VI	VII	VIII	IX
1st mode	6,680	10,375	14,181	18,146	22,412	27,563	34,269	44,831	68,694
2nd mode	6,681	10,376	14,182	18,147	22,413	27,563	34,270	44,940	68,716
3rd mode	10,140	14,626	18,885	23,045	27,244	31,873	37,840	47,544	69,563
4th mode	17,223	21,977	26,519	31,177	36,433	39,845	44,942	53,755	74,768
5th mode	19,920	24,653	29,138	33,494	36,676	39,845	44,943	53,806	74,899
6th mode	19,921	25,654	29,140	33,495	36,677	41,542	46,600	55,452	76,460
7th mode	29,904	31,294	32,605	34,332	37,595	41,545	46,602	55,498	76,569
8th mode	29,905	31,294	32,660	34,333	37,596	43,019	50,424	59,690	79,393
9th mode	32,301	34,747	36,526	38,763	42,053	47,552	51,665	59,718	79,521
10th mode	32,301	34,747	36,528	38,766	42,054	47,553	51,666	59,818	79,745

Table 3. Natural frequencies obtained from ANSYS 18.2

With data obtained from Table 3, a plot is generated between the mode number and the natural frequencies for models I to IX and shown in Fig. 1.



Fig. 1. Mode number v/s natural frequencies

Fig. 1 demonstrates the increase in natural frequencies with every model. It is observed that the stiffness increases as the height of the model decreases, resulting in a simultaneous increase in natural frequency.

A plot is obtained between the fundamental natural frequency and the lifespan of an active osteoblast for the models tabulated in Table 3 which are shown in Fig. 2.

Curve fitting is carried out for the fundamental natural frequencies versus the lifespan for the models I-IX using a cubic function and can be expressed as follows:

$$\omega_n = 0.23662x^3 - 18.827x^2 + 759.55x + 5681.$$

This expression can be used to estimate the fundamental natural frequency of an active osteoblast for a given day (x). This relation holds good for the initial dimensions and material properties considered for all the parts of the osteoblast. A similar relation can be obtained by using different dimensions and material properties. This serves as a guiding tool to determine the natural frequency an active osteoblast possesses during the bone remodeling cycle and accordingly, the

excitation can be initiated. However, depending upon the ratio between the excitation and natural frequency one can estimate the response of the cell.

The corresponding mode shapes for models I to IX are obtained and shown in Figs. 3-5. The dynamic analysis of model X is excluded as osteoblast reaches its final stage and becomes a bone-lining cell.



Fig. 3 shows the first four mode shapes for model I. It is observed that the first two natural frequencies are in x and y direction of the system, i.e., lateral mode of vibration. The 3rd mode shape shows a longitudinal vibration in the z-direction. A twisting mode shape along the vertical axis, viz., z-axis is observed for the fourth natural frequency of the system.

Fig. 4 shows the fundamental mode shapes for models II-VIII in x direction of the system, i.e., lateral mode of vibration.

The first four mode shapes for model IX are shown in Fig. 5. Lateral mode of vibration in x and y directions are observed for the first two mode shapes respectively. A twisting mode shape along the z- axis is observed for the 3rd natural frequency of the system. The 4th mode is observed to be a longitudinal vibration in z-direction.



3. Conclusions

The present investigation demonstrates a continuum model approach to analyse the dynamic characteristics of an active osteoblast cell during the bone remodeling cycle. Progressive stages of spreading of an active osteoblast are modeled. An increase in natural frequencies in the range of 6,680-68,694 Hz with reduction in size of every model is reported. Curve fitting is carried out for the fundamental natural frequencies of all 9 models using a cubic function and a mathematical relation is obtained. This mathematical equation holds good for the material and geometrical properties considered in this work. The natural frequency at which an active osteoblast needs to excite for increasing the bone formation rate can be determined with respect to time using this mathematical relation. The response of the osteoblast can be determined depending upon the ratio of excitation frequency to natural frequency of the system.

References

- [1] Dick Ho-Kiu Chow, Kwok-Sui Leung, Ling Qin, Andraay Hon-Chi Leung, Wing-Hoi Cheung Low-magnitude high-frequency vibration (LMHFV) enhances bone remodeling in osteoporotic rat femoral fracture healing. Journal of Orthopaedic Research, Vol. 29, Issue 5, 2011, p. 746-752.
- [2] Wang Liping, Hsu Hung-Yao, Li Xu, Xian Cory J. Effects of frequency and acceleration amplitude on osteoblast mechanical vibration responses: a finite element study. Biomed Research International, Vol. 2016, 2016, p. 2735091.
- [3] Hwabok Wee, Arkady Voloshin Dynamic analysis of a spread cell using finite element method. Mechanics of Biological Systems and Materials, Vol. 4, 2013, p. 135-140.
- [4] Hwabok Wee, Arkady Voloshin Modal analysis of a spreading osteoblast cell in culturing. 38th Annual Northeast Bioengineering Conference, 2012.
- [5] Rosenberg N., Levy M., Francis M. Experimental model for stimulation of cultured human osteoblast-like cells by high frequency vibration. Cytotechnology, Vol. 55, Issue 3, 1994, p. 273-286.
- [6] **Parfitt A. M.** Osteonal and hemi-osteonal remodeling: the spatial and temporal framework for signal traffic in adult human bone. Journal of Cellular Biochemistry, Vol. 55, 1994, p. 273.
- [7] Manolagas Stavros C. Birth and death of bone cells: basic regulatory mechanisms and implications for the pathogenesis and treatment of osteoporosis. Endocrine Reviews, Vol. 21, Issue 2, 2000, p. 115-137.
- [8] Abolfathi N., Karami G., Ziejewski M. Biomechanical cell modelling under impact loading. International Journal of Modelling and Simulation, Vol. 28, Issue 4, 2008, p. 470-476.